



IMPROVING HEALTH CARE QUALITY

# Tips for Medicaid Providers

## Healthcare Effectiveness Data and Information Set (HEDIS®) Quick Reference Guide Measurement Year (MY) 2023

Quality improvement measures help ensure our members receive appropriate care. We created this guide with coding tips\* to help you satisfy HEDIS measures from the National Committee for Quality Assurance (NCQA). Visit the Blue Cross and Blue Shield of Texas (BCBSTX) [Quality Improvement web page](#) for the [HEDIS Toolkit and Tip Sheets](#) for more details and tip sheets.

### Child and Adolescent Measures

#### Well-Child Visits in the First 30 Months of Life (W30): Age 0-30 Months

This measure tracks the percentage of children who:

- Have six or more well visits in the first 15 months of life, **and/or**
- Have two or more well visits between 15 and 30 months of life

Telehealth services are now approved for this measure.

**Current Procedural Terminology (CPT®):** 99381-99385  
New patient preventive medicine services  
CPT: 99391-99395 Established patient preventive medicine services  
**Healthcare Common Procedure Coding System (HCPCS):**  
G0438, G0439, S0302  
**ICD-10:** Z00.110, Z00.111, Z00.121, Z00.129, Z00.2, Z76.1, Z76.2



**Childhood Immunization Status (CIS) Combination 10: Age 0-2 Years**

This measure tracks the percentage of children who:

- **Complete between birth and the 2nd birthday:** three doses hepatitis B (Hep B)
- **Complete before the 2nd birthday but not prior to 42 days after birth:** four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); three haemophilus influenza type B (HiB); four pneumococcal (PCV); two or three rotavirus (RV)
- **Complete between the 1st and 2nd birthday:** one measles, (if unspecified, three doses required), mumps and rubella (MMR); one varicella (VZV); one hepatitis A (Hep A)
- **Complete before the 2nd birthday but not prior to 6 months (180 days) after birth:** two influenza (flu) vaccines

**CPT**  
 DTaP: 90697, 90698, 90700, 90723  
 Flu: 90655, 90657, 90661, 90673, 90674, 90685, 90686-90689, 90756  
 Hep A: 90633  
 Hep B: 90697, 90723, 90740, 90744, 90747, 90748  
 HiB: 90647, 90648, 90697, 90698 (combo DTaP-IPV/HiB), 90644 (combo meningococcal C/Y-HiBPRP), 90748  
 IPV: 90697, 90698, 90713, 90723  
 MMR: 90707, 90710  
 PCV: 90670, 90671  
 RV: 90680 (3 doses), 90681 (2 doses)  
 VZV: 90710, 90716  
 HCPCS: G0008 (flu), G0009 (PCV), G0010 (HepB)

**Immunizations for Adolescents (IMA) Combination 2: Age 9-13 Years**

This measure tracks the percentage of adolescents who:

- **Complete between the 9th and 13th birthday:** two or three human papillomavirus (HPV) vaccines.
  - If the first and second doses are given less than 146 days apart, a third dose must be given to complete the series.
- **Complete between the 10th and 13th birthday:** one tetanus, diphtheria and pertussis (Tdap).
- **Complete between the 11th and 13th birthday:** one meningococcal (serogroups A, C, W and Y).

**CPT**  
 HPV: 90649, 90650 (3 doses), 90651  
 Meningococcal: 90619, 90733, 90734  
 Tdap: 90715

**Child and Adolescent Well-Care Visits (WCV): Age 3-21 Years**

This measure tracks the percentage of children and adolescents who had at least one comprehensive well-care visit with a primary care physician (PCP) or OB/GYN during the measurement year. Telehealth services are now approved for this measure.

**CPT:** 99381-99385 New patient preventive medicine service  
**CPT:** 99391-99395 Established patient preventive medicine services  
**HCPCS:** G0438, G0439, S0302, S0610, S0612, S0613  
**ICD-10:** Z00.00, Z00.01, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z76.1, Z76.2

**Appropriate Treatment for Upper Respiratory Infection (URI): Age 3 Months and Older**

This measure tracks the percentage of members who were diagnosed with URI and were not dispensed an antibiotic prescription.

**Required documentation: Competing diagnosis**  
 If you are prescribing an antibiotic for a child who has been diagnosed with a URI and has a competing diagnosis, document the proper diagnosis code on the claim. This ensures you aren't inappropriately counted as prescribing an antibiotic for a URI.

**ICD-10:** J06.9



**Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Age 3-17 Years**

This measure tracks the percentage of children or adolescents who had a visit with a physical exam done by PCP or OB/GYN and had evidence of the following during the measurement year:

- **Body mass index (BMI) percentile:** Member-reported biometric values (height, weight, BMI percentile) are acceptable if the PCP collects the information while taking a member’s history. The information must be recorded, dated and maintained in the member’s health record.
- **Counseling for nutrition:** Services provided face-to-face or during a telephone visit, e-visit or virtual check-in meet the criteria.
- **Counseling for physical activity:** Services provided face-to-face or during a telephone visit, e-visit or virtual check-in meet the criteria.

“BMI percentile, counseling for nutrition, and counseling for physical activity can be performed and documented by any provider type, in any setting, and in any medical record.”

**BMI**

ICD-10: Z68.51- Z68.54

**Counseling for Nutrition**

CPT: 97802-97804 Medical nutrition therapy  
HCPCS: G0270, G0271, G0447, S9449, S9452, S9470  
ICD-10: Z71.3

**Counseling for Physical Activity**

ICD-10: Z02.5, Z71.82  
HCPCS: G0447, S9451

**Prenatal and Postpartum Measures**

**Prenatal and Postpartum Care (PPC)**

This measure tracks:

- **Timeliness of prenatal care:** a prenatal visit with a PCP or OB/GYN in the first trimester or within 42 days of enrollment in the health plan.
  - **Required documentation:** The minimum requirement is the diagnosis of pregnancy.
- **Postpartum care:** a postpartum visit with a PCP or OB/GYN on or between seven and 84 days after delivery.
  - **Required documentation:** The minimum requirement is the notation of postpartum care.

Telehealth services are now approved for this measure.

**Note:** Please include appropriate ICD-10 codes.

**Prenatal Care**

CPT: 99201-99205 New patient office or other outpatient services  
CPT: 99211-99215 Established patient office or other outpatient services  
CPT: 99241-99245 New or established patient office or other outpatient consultation  
HCPCS: T1015 (FQHC), G0463  
Telephone Visits: 98966, 98967, 98968, 99441, 99442, 99443

**Stand-Alone Prenatal Visits**

CPT: 99500  
CPT II: 0500F, 0501F, 0502F  
HCPCS: H1000-H1004

**Prenatal Bundled Services**

CPT: 59400, 59425, 59426, 59510, 59610, 59618  
HCPCS: H1005

**Postpartum Care**

CPT: 57170, 58300, 59430, 99501  
CPT II: 0503F  
HCPCS: G0101  
ICD-10: Z01.411, Z01.419, Z01.42, Z30.430, Z39.1, Z39.2

**Postpartum Bundled Services**

CPT: 59400, 59410, 59510, 59515, 59610, 59614, 59618, 59622



Adult Measures

Controlling High Blood Pressure (CBP): Age 18-85 Years

This measure tracks blood pressure control with diabetes (type 1 and type 2) for members whose blood pressure BP was adequately controlled (<140/90 mm Hg) during the measurement year and had the following:

- BP controlled at 139/89 mmHg or less: The last BP reading in MY 2023 will be used; Telehealth including telephone visits, e-visits and virtual check-ins are appropriate settings for BP readings taken by any digital device

Hypertension Diagnosis

ICD-10: I10 Essential hypertension

BP Reading, CPT II

- 3074F (systolic <130 mmHg)
3075F (systolic 130-139 mmHg)
3077F (systolic ≥140 mmHg)
3078F (diastolic <80 mmHg)
3079F (diastolic 80-89 mmHg)
3080F (diastolic ≥90 mmHg)

Telephone Visits

CPT: 98966-98968, 99441-99943

Blood Pressure with Diabetes (BPD): Age 18-75 Years

This measure tracks blood pressure control with diabetes (type 1 and type 2) for members whose blood pressure (BP) was adequately controlled (<140/90 mm Hg) during the measurement year had the following:

- BP controlled at 139/89 mmHg or less: The last BP reading in MY 2023 will be used; Telehealth including telephone visits, e-visits and virtual check-ins are appropriate settings for BP readings taken by any digital device.

BP Reading, CPT II

- 3074F (systolic <130 mmHg)
3075F (systolic 130-139 mmHg)
3077F (systolic ≥140 mmHg)
3078F (diastolic <80 mmHg)
3079F (diastolic 80-89 mmHg)
3080F (diastolic ≥90 mmHg)

Eye Exam with Diabetes (EED): Age 18-75 Years

This measure tracks eye exams with diabetes (type 1 and type 2) for members who had a retinal eye exam during the measurement year had each of the following:

- Retinal eye exam by an eye care professional in 2023 or a "negative for retinopathy" result in 2022.

Retinal Screening

CPT: 67028, 67030, 67031, 67036, 67039-67043, 67101, 67105, 67107, 67108, 67110, 67713, 67121, 67141, 67145, 67208, 67210,67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014,92018, 92019, 92134, 92201, 92202, 92225-92228, 92230, 92235,92240, 92250, 92260, 99203-99205, 99213-99215, 99242-99245

CPT II: 2022F, 2023F, 2024F, 2025F, 2026F, 2033F

HCPCS: S0620, S0621, S3000

Hemoglobin A1c Control with Diabetes (HBD): Age 18-75 Years

This measure tracks Hemoglobin A1c control with diabetes (type 1 and type 2) for members whose hemoglobin A1c (HbA1c) was at the following levels during the measurement year:

- Hemoglobin A1c: The last A1c level in 2023 will be used

Hemoglobin A1c Tests (Lab Draw)

CPT: 83036, 83037

Hemoglobin A1c Test (Results), CPT II

- 3044F (<7.0%)
3051F (≥7.0% and <8.0%)
3052F (≥8.0% and ≤9.0%)
3046F (>9.0%)
\*HbA1c Control (<8.0%)
\*HbA1c poor control (>9.0%)



**Kidney Health Evaluation for Patients with Diabetes\* (KED): Age 18-85 Years**

This measure tracks members with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine-albumin creatinine ratio (uACR).

- **Note:** At least one uACR requires both a quantitative urine albumin test and a urine creatinine test with service dates four or less days apart during the measurement year.

**Note:** Please include appropriate ICD-10 codes.

**eGFR Tests**

CPT: 80047, 80048, 80050, 80053, 80069, 82565

**Quantitative Urine-Albumin Test**

CPT: 82043

**Urine Creatinine**

CPT: 82570

**Cervical Cancer Screenings (CCS): Age 21 -64 Years**

This measure assesses women who were screened for cervical cancer using any of the following criteria:

- Women 21-64 years of age who had cervical cytology performed within the last 3 years.
- Women 30-64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.
- Women 30-64 years of age how had cervical cytology/ high-risk human papillomavirus (hrHPV) contesting within the last 5 years.

**Note:** Please include appropriate ICD-10 codes.

**CPT:** 88141, 88142, 88143 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175, 87624, 87625

**HCPCS:** G1023, G1024, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091, G0476

**Breast Cancer Screenings (BCS): Age 50 -74 Years**

This measure assesses women 50-74 years of age who:

- had at least one mammogram to screen for breast cancer in the past two years.

**Note:** Please include appropriate ICD-10 codes.

**CPT:** 77061, 77062, 77063, 77065, 77066, 77067

\* These codes are only a sample of approved codes. See the [NCQA website](#) for more information.

**These materials cannot be further distributed.**

**Resources**

- [BCBSTX Quality Improvement \(QI\) Toolkit and Tip Sheets](#)
- [BCBSTX Preventive Care Guidelines](#)
- [BCBSTX Clinical Practice Guidelines](#)
- [NCQA HEDIS Measures and Technical Resources](#)
- [Texas Health Steps for Medical Providers](#), which includes all current vaccine schedules, the [ImmTrac2](#) Texas Immunization Registry and other important guidance for treating members

The material presented here is for informational/educational purposes only, is not intended to be medical advice or a definitive source for coding claims and is not a substitute for the independent medical judgment of a physician or other health care provider. Health care providers are encouraged to exercise their own independent medical judgment based upon their evaluation of their patients' conditions and all available information, and to submit claims using the most appropriate code(s) based upon the medical record documentation and coding guidelines and reference materials. References to other third-party sources or organizations are not a representation, warranty or endorsement of such organization. Any questions regarding those organizations should be addressed to them directly. The fact that a service or treatment is described in this material is not a guarantee that the service or treatment is a covered benefit and members should refer to their certificate of coverage for more details, including benefits, limitations and exclusions. Regardless of benefits, the final decision about any service or treatment is between the member and their health care provider.

CPT copyright 2022 American Medical Association (AMA). All rights reserved. CPT is a registered trademark of the AMA.

HEDIS is a registered trademark of NCQA. Use of this resource is subject to NCQA's copyright, [found here](#). The NCQA HEDIS measure specification has been adjusted pursuant to NCQA's Rules for Allowable Adjustments of HEDIS. The adjusted measure specification may be used only for quality improvement purposes.