

CLINICAL PAYMENT AND CODING POLICY

If a conflict arises between a Clinical Payment and Coding Policy (CPCP) and any plan document under which a member is entitled to Covered Services, the plan document will govern. If a conflict arises between a CPCP and any provider contract pursuant to which a provider participates in and/or provides Covered Services to eligible member(s) and/or plans, the provider contract will govern. "Plan documents" include, but are not limited to, Certificates of Health Care Benefits, benefit booklets, Summary Plan Descriptions, and other coverage documents. BCBSTX may use reasonable discretion interpreting and applying this policy to services being delivered in a particular case. BCBSTX has full and final discretionary authority for their interpretation and application to the extent provided under any applicable plan documents.

Providers are responsible for submission of accurate documentation of services performed. Providers are expected to submit claims for services rendered using valid code combinations from Health Insurance Portability and Accountability Act (HIPAA) approved code sets. Claims should be coded appropriately according to industry standard coding guidelines including, but not limited to: Uniform Billing (UB) Editor, American Medical Association (AMA), Current Procedural Terminology (CPT®), CPT® Assistant, Healthcare Common Procedure Coding System (HCPCS), ICD-10 CM and PCS, National Drug Codes (NDC), Diagnosis Related Group (DRG) guidelines, Centers for Medicare and Medicaid Services (CMS) National Correct Coding Initiative (NCCI) Policy Manual, CCI table edits and other CMS guidelines.

Claims are subject to the code edit protocols for services/procedures billed. Claim submissions are subject to claim review including but not limited to, any terms of benefit coverage, provider contract language, medical policies, clinical payment and coding policies as well as coding software logic. Upon request, the provider is urged to submit any additional documentation.

Serum Tumor Markers for Malignancies

Policy Number: CPCPLAB037

Version 1.0

Enterprise Medical Policy Committee Approval Date: 1/25/2022

Plan Effective Date: May 1, 2022

Description

BCBSTX has implemented certain lab management reimbursement criteria. Not all requirements apply to each product. Providers are urged to review Plan documents for eligible coverage for services rendered.

Reimbursement Information:

The use of the following serum tumor markers **may be reimbursable** for the following indications:

1. Alpha fetoprotein (AFP) testing for:
 - a. Suspected germ cell tumor metastasis from an unknown primary site:
 - i. Testicular mass
 - ii. Pelvic mass
 - iii. Mediastinal mass
 - iv. Peritoneal mass
 - v. Retroperitoneal mass
 - vi. Intracranial mass
 - vii. Sacrococcygeal mass
 - b. For diagnosis, staging, surveillance, and/or monitoring therapy in the following:
 - i. Hepatocellular carcinoma
 - ii. Thymoma
 - iii. Thyroid carcinoma
 - iv. Testicular germ cell tumor/carcinoma
 - v. Ovarian germ cell tumor/carcinoma
 - vi. Sacrococcygeal teratoma
2. Alkaline Phosphatase (ALP) for
 - a. Bone Cancers
3. Beta human chorionic gonadotropin (beta-HCG) for:
 - a. Suspected germ cell tumor metastasis from an unknown primary site:
 - i. Testicular mass
 - ii. Pelvic mass
 - iii. Mediastinal mass
 - iv. Peritoneal mass
 - v. Retroperitoneal mass
 - vi. Intracranial mass
 - vii. Sacrococcygeal mass
 - b. For diagnosis, staging, surveillance, and/or monitoring therapy in the following:
 - i. Thymoma
 - ii. Thyroid carcinoma
 - iii. Testicular germ cell tumor/carcinoma
 - iv. Ovarian germ cell tumor/carcinoma
 - v. Sacrococcygeal teratoma
4. Beta-2 microglobulin (B2M) for:
 - a. Multiple Myeloma initial diagnostic workup and follow-up/surveillance
 - b. Non-Hodgkin's Lymphoma workup
 - c. Waldenström's Macroglobulinemia/ Lymphoplasmacytic Lymphoma workup
 - d. Castleman's Disease workup
 - e. Follicular Lymphoma
 - f. Mantle Cell Lymphoma
 - g. Diffuse B-cell Lymphoma
 - h. AIDS-related B-cell Lymphoma
 - i. Lymphoblastic Lymphoma
 - j. Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma
 - k. Systemic Light Chain Amyloidosis initial diagnostic workup

5. Cancer Antigen 15-3 and 27.29 (CA 15-3 and 27-29) for:
 - a. Metastatic breast cancer monitoring during active therapy
6. Cancer Antigen 19-9 (CA 19-9) for:
 - a. Pancreatic adenocarcinoma workup, post treatment and surveillance
 - b. Gallbladder cancer workup and surveillance
 - c. Hepatobiliary carcinoma workup and post biliary decompression
 - d. Intrahepatic and extrahepatic cholangiocarcinoma workup
 - e. Pancreatic or biliary tract primary workup
 - f. Small bowel adenocarcinoma workup
 - g. Epithelial ovarian cancer, fallopian tube cancer or primary peritoneal cancer workup and monitoring
7. Cancer Antigen 125 (CA-125) for:
 - a. Epithelial ovarian cancer, fallopian tube cancer or primary peritoneal cancer workup and monitoring
 - b. BRCA mutation-positive individuals age 30 and older who have not elected risk-reducing salpingo-oophorectomy (RRSO)
 - c. Borderline epithelial tumors (low malignant potential) monitoring
 - d. Endometrial Cancer for workup and surveillance
 - e. Occult Primary - adenocarcinoma or carcinoma not otherwise specified workup
8. Carcinoembryonic Antigen (CEA) for:
 - a. Colorectal carcinoma workup and surveillance every 3-6 months for 2 years, then every 6 months for a total of 5 years
 - b. Hepatobiliary Cancers including:
 - i. Intrahepatic Cholangiocarcinoma workup
 - ii. Extrahepatic Cholangiocarcinoma workup
 - iii. Gallbladder Cancer workup and surveillance
 - c. Medullary thyroid carcinoma workup and surveillance
 - d. Mucinous carcinoma of the ovary workup
 - e. Small bowel adenocarcinoma workup
 - f. Rectal cancer workup
 - g. Epithelial ovarian cancer, fallopian tube cancer or primary peritoneal cancer workup and monitoring
9. Chromogranin A (CgA) for:
 - a. Neuroendocrine tumors of:
 - i. gastrointestinal tract
 - ii. lung
 - iii. thymus (carcinoid tumors) evaluation
10. Calcitonin (CALCA) expression for:
 - a. Medullary thyroid carcinoma workup, surveillance and post-surgical evaluation
 - b. Adenocarcinoma or anaplastic/undifferentiated tumors of the head and neck workup
11. Inhibin (INHA) expression for:
 - a. Undiagnosed pelvic mass workup for clinical indication to assess for LCOC (Less Common Ovarian Cancers) and pregnancy
 - b. Granulosa cell tumors observation
12. Lactate dehydrogenase (LDH) for:
 - a. Acute Lymphoblastic Leukemia (ALL) workup and Pediatric Acute Lymphoblastic Leukemia (PED-ALL)
 - b. Acute Myeloid Leukemia (AML) workup
 - c. B-cell lymphoma workup (including Castleman's disease)
 - d. Chronic Lymphocytic Leukemia workup

- e. Hairy Cell Leukemia workup
 - f. Hodgkin's lymphoma workup
 - g. Ovarian cancer workup
 - h. Primary cutaneous B-cell Lymphoma workup
 - i. Non-Hodgkin's Lymphoma workup
 - j. Testicular germ cell tumors staging, prognosis before chemotherapy and/or additional surgery, monitoring response to treatment and detecting recurrence
 - k. Osteosarcoma and Ewing Sarcoma workup
 - l. Multiple Myeloma workup, follow-up/surveillance and staging
 - m. Myelodysplastic syndromes (initial evaluation)
 - n. Myeloproliferative neoplasms (initial evaluation)
 - o. Cutaneous melanoma
 - p. Kidney cancer
 - q. Small cell lung cancer
 - r. Systemic Light Chain Amyloidosis workup
 - s. Waldenström's Macroglobulinemia/ Lymphoplasmacytic Lymphoma workup
13. Troponin T
- a. Systemic Light Chain Amyloidosis diagnostic workup
14. Tryptase
- a. Systemic Mastocytosis

The use of urokinase plasminogen activator (uPA) and plasminogen activator inhibitor type 1 (PAI-1) as serum tumor markers **is not reimbursable**.

Any of the tumor markers listed above for any cancer indication not otherwise listed and all other applications of serum tumor markers **are not reimbursable**, including but not limited to:

- a. A2-PAG (pregnancy associated alpha2 glycoprotein)
- b. AFP-L3 (Lens culinaris agglutinin reactive AFP)
- c. BCM (breast cancer mucin)
- d. CA-50 (cancer antigen 50)
- e. CA 72-4 (cancer antigen 72-4)
- f. CA-242 (cancer antigen 242)
- g. CA-195 (cancer antigen 195)
- h. CA-549 (cancer antigen 549)
- i. CAM 17-1 (antimucin monoclonal antibody)
- j. CAM-26 (carcinoma associated mucin antigen)
- k. CAM-29 (carcinoma associated mucin antigen)
- l. CA-SCC (squamous cell carcinoma antigen)
- m. CAR-3 (antigenic determinant recognized by monoclonal antibody AR-3)
- n. Circulating extracellular domain of HER2 (human epidermal growth factor receptor 2)
- o. DCP (Des-Gamma-Carboxy Prothrombin)
- p. DMSA (pentavalent technetium-99mm dimercaptosuccinic acid)
- q. Du-PAN-2 (sialylated carbohydrate antigen)
- r. Human epididymis protein (HE4)
- s. Ki-67 antigen for esophageal or breast cancer
- t. MCA (mucinous carcinoma associated antigen)
- u. MSA (mammary serum antigen)
- v. NSE (neuron specific enolase)
- w. P-LAP (placental alkaline phosphatase)
- x. PNA-ELLA (peanut lectin bonding assay)

- y. P53 (monoclonal antibody)
- z. SLEX (sialylated Lewis-X antigen)
- aa. SLX (sialylated SSEA-1 antigen)
- bb. SPAN-1 (sialylated carbonated antigen SPAN-1)
- cc. ST-439 (sialylated carbohydrate antigen ST-439)
- dd. TAG-12 (tumor associated glycoprotein 12)
- ee. TAG 72 (tumor associated glycoprotein 72)
- ff. TAG-72-3 (tumor associated glycoprotein 72-3)
- gg. TNF-alpha (TNF-a) (tumor necrosis factor alpha)
- hh. TATI (tumor associated trypsin inhibitor)
- ii. TPA (tissue polypeptide antigen)
- jj. TPS (tissue polypeptide specific antigen)

The following tests **are not reimbursable** for all indications:

- a. Apifyn[®]
- b. BeScreened[™] (BeScreened[™] -CRC)
- c. Carcinoembryonic antigen cell adhesion molecule 6 (CEACAM6) for predicting the risk of breast cancer
- d. Carcinoembryonic antigen cellular adhesion molecule-7 (CEACAM-7) expression as a predictive marker for rectal cancer recurrence
- e. Cofilin (CFL1) as a prognostic and drug resistance marker in non-small cell lung cancer.
- f. ColonSentry test for screening of colorectal cancer.
- g. ColoPrint, CIMP, LINE-1 hypomethylation, and Immune cells for colon cancer.
- h. Colorectal Cancer DSA (Almac Diagnostics, Craigavon, UK)
- i. EarlyCDT-Lung test
- j. HE4 immunoassay
- k. HERmark[®]
- l. Mucin 4 expression as a predictor of survival in colorectal cancer.
- m. OVA1[™]
- n. Ova Check[™]
- o. OvaSure[™]
- p. Overa (OVA1 Next Generation)
- q. Panexia test
- r. PreOvar test for the KRAS-variant to determine ovarian cancer risk.
- s. REVEAL Lung Nodule Characterization
- t. ROMA[™]
- u. VeriStrat[®]
- v. Xpresys Lung Test

Analysis of proteomic patterns in serum for screening and detection of cancer **is not reimbursable**.

Procedure Codes

Codes
81500, 81503, 81538, 81599, 82105, 82107, 82232, 82308, 82378, 82397, 83520, 83615, 83950, 83951, 84075, 84078, 84080, 84484, 84702, 84703, 84704, 84999, 85415, 86300, 86301, 86304, 86305, 86316, 86336, 0003U, 0067U, 0092U, 0163U

References:

- AASLD. (2018). Diagnosis, Staging, and Management of Hepatocellular Carcinoma: 2018 Practice Guidance by the American Association for the Study of Liver Diseases. Retrieved from https://www.aasld.org/sites/default/files/2019-06/AASLD_2018_HCC_Guidance_on_Diagnosis%20C_Staging_and_Management_hep_29913%20%281%29.pdf
- Abdel-Aziz, M. M., Elshal, M. F., Abass, A. T., El-Kafrawy, S., Ezzat, S., & Abdel-Wahab, M. (2016). Comparison of AFP-L3 and p53 Antigen Concentration with Alpha-Fetoprotein as Serum Markers for Hepatocellular Carcinoma. *Clin Lab*, 62(6), 1121-1129. Retrieved from <https://www.ncbi.nlm.nih.gov/pubmed/27468575>
- ACR. (2017). American College of Radiology ACR Appropriateness Criteria® Chronic Liver Disease Retrieved from <https://acsearch.acr.org/docs/3098416/Narrative/>
- Allison, K. H., Hammond, M. E. H., Dowsett, M., McKernin, S. E., Carey, L. A., Fitzgibbons, P. L., . . . Wolff, A. C. (2020). Estrogen and Progesterone Receptor Testing in Breast Cancer: ASCO/CAP Guideline Update. *Journal of Clinical Oncology*, JCO.19.02309. doi:10.1200/JCO.19.02309
- Beppu, T., Sugimoto, K., Shiraki, K., Tameda, M., Kusagawa, S., Nojiri, K., . . . Takeda, K. (2010). Clinical significance of tumor markers in detection of recurrent hepatocellular carcinoma after radiofrequency ablation. *Int J Mol Med*, 26(3), 425-433. Retrieved from <http://dx.doi.org/>
- Berrebi, A., Shvidel, L., Arditti, F. D., Bassous, L., Haran, M., & Shtalrid, M. (2009). The Significance of Elevated Beta 2-Microglobulin (b2-m) in B-CLL: Evidence of in Vitro b2-m Secretion Following Activation of B-CLL Cells. *Blood*, 114(22), 4380. Retrieved from <http://www.bloodjournal.org/content/114/22/4380.abstract>
- Bind, M. K., Mishra, R. R., Kumar, V., Misra, V., & Singh, P. A. (2021). Serum CA 19-9 and CA 125 as a diagnostic marker in carcinoma of gallbladder. *Indian J Pathol Microbiol*, 64(1), 65-68. doi:10.4103/ijpm.ljpm_494_19
- Caviglia, G. P., Abate, M. L., Petrini, E., Gaia, S., Rizzetto, M., & Smedile, A. (2016). Highly sensitive alpha-fetoprotein, Lens culinaris agglutinin-reactive fraction of alpha-fetoprotein and des-gamma-carboxyprothrombin for hepatocellular carcinoma detection. *Hepatol Res*, 46(3), E130-135. doi:10.1111/hepr.12544
- Chappuis, P. O., Dieterich, B., Sciretta, V., Lohse, C., Bonnefoi, H., Remadi, S., & Sappino, A. P. (2001). Functional evaluation of plasmin formation in primary breast cancer. *J Clin Oncol*, 19(10), 2731-2738. doi:10.1200/jco.2001.19.10.2731
- Chen, F., Shen, J., Wang, J., Cai, P., & Huang, Y. (2018). Clinical analysis of four serum tumor markers in 458 patients with ovarian tumors: diagnostic value of the combined use of HE4, CA125, CA19-9, and CEA in ovarian tumors. *Cancer Manag Res*, 10, 1313-1318. doi:10.2147/cmar.S155693

- Chen, Y., Xie, Y., Xu, L., Zhan, S., Xiao, Y., Gao, Y., . . . Ge, W. (2017). Protein content and functional characteristics of serum-purified exosomes from patients with colorectal cancer revealed by quantitative proteomics. *Int J Cancer*, 140(4), 900-913. doi:10.1002/ijc.30496
- Cheng, J., Wang, W., Zhang, Y., Liu, X., Li, M., Wu, Z., . . . Wang, B. (2014). Prognostic role of pre-treatment serum AFP-L3% in hepatocellular carcinoma: systematic review and meta-analysis. *PLoS One*, 9(1), e87011. doi:10.1371/journal.pone.0087011
- Detterbeck, F. C., Mazzone, P. J., Naidich, D. P., & Bach, P. B. (2013). Screening for lung cancer: Diagnosis and management of lung cancer, 3rd ed: American College of Chest Physicians evidence-based clinical practice guidelines. *Chest*, 143(5 Suppl), e78S-e92S. doi:10.1378/chest.12-2350
- Dorigo, O., & Berek, J. S. (2011). Personalizing CA125 levels for ovarian cancer screening. *Cancer Prev Res (Phila)*, 4(9), 1356-1359. doi:10.1158/1940-6207.Capr-11-0378
- Duffy, M. J. (2001). Carcinoembryonic Antigen as a Marker for Colorectal Cancer: Is It Clinically Useful? *Clinical Chemistry*, 47(4), 624. Retrieved from <http://clinchem.aaccjnls.org/content/47/4/624.abstract>
- EASL. (2018). EASL Clinical Practice Guidelines: Management of hepatocellular carcinoma. Retrieved from <https://easl.eu/wp-content/uploads/2018/10/EASL-CPG-Management-of-hepatocellular-carcinoma-.pdf>
- Farkkila, A., Koskela, S., Bryk, S., Alfthan, H., Butzow, R., Leminen, A., . . . Unkila-Kallio, L. (2015). The clinical utility of serum anti-Mullerian hormone in the follow-up of ovarian adult-type granulosa cell tumors--A comparative study with inhibin B. *Int J Cancer*, 137(7), 1661-1671. doi:10.1002/ijc.29532
- Febbo, P. G., Ladanyi, M., Aldape, K. D., De Marzo, A. M., Hammond, M. E., Hayes, D. F., . . . Birkeland, M. L. (2011). NCCN Task Force report: Evaluating the clinical utility of tumor markers in oncology. *J Natl Compr Canc Netw*, 9 Suppl 5, S1-32; quiz S33. Retrieved from http://www.jnccn.org/content/9/Suppl_5/S-1.full.pdf
- Feng, F., Tian, Y., Xu, G., Liu, Z., Liu, S., Zheng, G., . . . Zhang, H. (2017). Diagnostic and prognostic value of CEA, CA19-9, AFP and CA125 for early gastric cancer. *BMC Cancer*, 17(1), 737. doi:10.1186/s12885-017-3738-y
- Feng, L. X., Wang, J., Yu, Z., Song, S. A., Zhai, W. X., Dong, S. H., . . . Zhang, Y. (2019). Clinical significance of serum EGFR gene mutation and serum tumor markers in predicting tyrosine kinase inhibitor efficacy in lung adenocarcinoma. *Clin Transl Oncol*, 21(8), 1005-1013. doi:10.1007/s12094-018-02014-6
- Foekens, J. A., Peters, H. A., Look, M. P., Portengen, H., Schmitt, M., Kramer, M. D., . . . Klijn, J. G. (2000). The urokinase system of plasminogen activation and prognosis in 2780 breast cancer patients. *Cancer Res*, 60(3), 636-643. Retrieved from <http://dx.doi.org/>

Gershenson, D. (2017). Sex cord-stromal tumors of the ovary: Granulosa-stromal cell tumors. Retrieved from https://www.uptodate.com/contents/sex-cord-stromal-tumors-of-the-ovary-granulosa-stromal-cell-tumors?search=inhibin%20cancer%20marker&source=search_result&selectedTitle=1~150&usage_type=default&display_rank=1

Gershenson, D. (2020). Sex cord-stromal tumors of the ovary: Epidemiology, clinical features, and diagnosis in adults. Retrieved from https://www.uptodate.com/contents/sex-cord-stromal-tumors-of-the-ovary-granulosa-stromal-cell-tumors?search=inhibin%20cancer%20marker&source=search_result&selectedTitle=1~150&usage_type=default&display_rank=1

Gilligan, T. D., Seidenfeld, J., Basch, E. M., Einhorn, L. H., Fancher, T., Smith, D. C., . . . Hayes, D. F. (2010). American Society of Clinical Oncology Clinical Practice Guideline on uses of serum tumor markers in adult males with germ cell tumors. *J Clin Oncol*, 28(20), 3388-3404. doi:10.1200/jco.2009.26.4481

Goff, B. (2016). Human chorionic gonadotropin: Testing in pregnancy and gestational trophoblastic disease and causes of low persistent levels. Retrieved from https://www.uptodate.com/contents/human-chorionic-gonadotropin-testing-in-pregnancy-and-gestational-trophoblastic-disease-and-causes-of-low-persistent-levels?search=beta%20human%20chorionic%20gonadotropin&source=search_result&selectedTitle=2~150&usage_type=default&display_rank=2

Halfdanarson, T. R., Strosberg, J. R., Tang, L., Bellizzi, A. M., Bergsland, E. K., O'Dorisio, T. M., . . . Chan, J. A. (2020). The North American Neuroendocrine Tumor Society Consensus Guidelines for Surveillance and Medical Management of Pancreatic Neuroendocrine Tumors. *Pancreas*, 49(7), 863-881. doi:10.1097/mpa.0000000000001597

Harris, L., Fritsche, H., Mennel, R., Norton, L., Ravdin, P., Taube, S., . . . Bast, R. C., Jr. (2007). American Society of Clinical Oncology 2007 update of recommendations for the use of tumor markers in breast cancer. *J Clin Oncol*, 25(33), 5287-5312. doi:10.1200/jco.2007.14.2364

Harris, L. N., Ismaila, N., McShane, L. M., Andre, F., Collyar, D. E., Gonzalez-Angulo, A. M., . . . Hayes, D. F. (2016). Use of Biomarkers to Guide Decisions on Adjuvant Systemic Therapy for Women With Early-Stage Invasive Breast Cancer: American Society of Clinical Oncology Clinical Practice Guideline. *J Clin Oncol*, 34(10), 1134-1150. doi:10.1200/jco.2015.65.2289

Harris, L. N., Ismaila, N., McShane, L. M., Andre, F., Collyar, D. E., Gonzalez-Angulo, A. M., . . . Hayes, D. F. (2016). Use of Biomarkers to Guide Decisions on Adjuvant Systemic Therapy for Women With Early-Stage Invasive Breast Cancer: American Society of Clinical Oncology Clinical Practice Guideline. *Journal of Clinical Oncology*, 34(10), 1134-1150. doi:10.1200/JCO.2015.65.2289

Harvey, R. A. (2019). Human chorionic gonadotropin: Biochemistry and measurement in pregnancy and disease. Retrieved from https://www.uptodate.com/contents/human-chorionic-gonadotropin-testing-in-pregnancy-and-gestational-trophoblastic-disease-and-causes-of-low-persistent-levels?search=beta%20human%20chorionic%20gonadotropin&source=search_result&selectedTitle=2~150&usage_type=default&display_rank=2

- Haugen, B. R., Alexander, E. K., Bible, K. C., Doherty, G. M., Mandel, S. J., Nikiforov, Y. E., . . . Wartofsky, L. (2016). 2015 American Thyroid Association Management Guidelines for Adult Patients with Thyroid Nodules and Differentiated Thyroid Cancer: The American Thyroid Association Guidelines Task Force on Thyroid Nodules and Differentiated Thyroid Cancer. *Thyroid*, 26(1), 1-133. doi:10.1089/thy.2015.0020
- Hotakainen, K., Ljungberg, B., Paju, A., Rasmuson, T., Alfthan, H., & Stenman, U. H. (2002). The free beta-subunit of human chorionic gonadotropin as a prognostic factor in renal cell carcinoma. *Br J Cancer*, 86(2), 185-189. doi:10.1038/sj.bjc.6600050
- Hottinger, A., & Hormigo, A. (2011). Serum Biomarkers. In *Encyclopedia of Cancer* (pp. 3390-3394). doi:10.1007/978-3-642-16483-5_5269
- Husain, A. N., Colby, T. V., Ordonez, N. G., Allen, T. C., Attanoos, R. L., Beasley, M. B., . . . Wick, M. R. (2018). Guidelines for Pathologic Diagnosis of Malignant Mesothelioma 2017 Update of the Consensus Statement From the International Mesothelioma Interest Group. *Arch Pathol Lab Med*, 142(1), 89-108. doi:10.5858/arpa.2017-0124-RA
- Isaksson, S., Jönsson, P., Monsef, N., Brunnström, H., Bendahl, P. O., Jönsson, M., . . . Planck, M. (2017). CA 19-9 and CA 125 as potential predictors of disease recurrence in resectable lung adenocarcinoma. *PLoS One*, 12(10), e0186284. doi:10.1371/journal.pone.0186284
- Katou, H., Kanno, T., Hoshino, M., Hagihara, Y., Tanaka, H., Kawai, T., . . . Goto, Y. (2002). The role of disulfide bond in the amyloidogenic state of beta(2)-microglobulin studied by heteronuclear NMR. *Protein Sci*, 11(9), 2218-2229. doi:10.1110/ps.0213202
- Kim, N. H., Lee, M. Y., Park, J. H., Park, D. I., Sohn, C. I., Choi, K., & Jung, Y. S. (2017). Serum CEA and CA 19-9 Levels are Associated with the Presence and Severity of Colorectal Neoplasia. *Yonsei Med J*, 58(5), 918-924. doi:10.3349/ymj.2017.58.5.918
- Kindler, H. L., Ismaila, N., Armato, S. G., Bueno, R., Hesdorffer, M., Jahan, T., . . . Hassan, R. (2018). Treatment of Malignant Pleural Mesothelioma: American Society of Clinical Oncology Clinical Practice Guideline. *Journal of Clinical Oncology*, 36(13), 1343-1373. doi:10.1200/JCO.2017.76.6394
- Kobayashi, M., Kuroiwa, T., Suda, T., Tamura, Y., Kawai, H., Igarashi, M., . . . Aoyagi, Y. (2007). Fucosylated fraction of alpha-fetoprotein, L3, as a useful prognostic factor in patients with hepatocellular carcinoma with special reference to low concentrations of serum alpha-fetoprotein. *Hepatol Res*, 37(11), 914-922. doi:10.1111/j.1872-034X.2007.00147.x
- Krop, I., Ismaila, N., Andre, F., Bast, R. C., Barlow, W., Collyar, D. E., . . . Stearns, V. (2017). Use of Biomarkers to Guide Decisions on Adjuvant Systemic Therapy for Women With Early-Stage Invasive Breast Cancer: American Society of Clinical Oncology Clinical Practice Guideline Focused Update. *J Clin Oncol*, Jco2017740472. doi:10.1200/jco.2017.74.0472
- Li, J., Yin, M., Song, W., Cui, F., Wang, W., Wang, S., & Zhu, H. (2018). B Subunit of Human Chorionic Gonadotropin Promotes Tumor Invasion and Predicts Poor Prognosis of Early-Stage Colorectal Cancer. *Cell Physiol Biochem*, 45(1), 237-249. doi:10.1159/000486770

- Li, X., Dai, D., Chen, B., Tang, H., Xie, X., & Wei, W. (2018). Clinicopathological and Prognostic Significance of Cancer Antigen 15-3 and Carcinoembryonic Antigen in Breast Cancer: A Meta-Analysis including 12,993 Patients. *Dis Markers*, 2018, 9863092. doi:10.1155/2018/9863092
- Liu, R., Cao, J., Gao, X., Zhang, J., Wang, L., Wang, B., . . . Wang, Z. (2016). Overall survival of cancer patients with serum lactate dehydrogenase greater than 1000 IU/L. *Tumour Biol*, 37(10), 14083-14088. doi:10.1007/s13277-016-5228-2
- Lucarelli, G., Ditunno, P., Bettocchi, C., Vavallo, A., Rutigliano, M., Galleggiante, V., . . . Battaglia, M. (2014). Diagnostic and prognostic role of preoperative circulating CA 15-3, CA 125, and beta-2 microglobulin in renal cell carcinoma. *Dis Markers*, 2014, 689795. doi:10.1155/2014/689795
- Magnani, J. L. (2004). The discovery, biology, and drug development of sialyl Lea and sialyl Lex. *Archives of Biochemistry and Biophysics*, 426(2), 122-131. doi:<https://doi.org/10.1016/j.abb.2004.04.008>
- Malmstrom, P., Bendahl, P. O., Boiesen, P., Brunner, N., Idvall, I., & Ferno, M. (2001). S-phase fraction and urokinase plasminogen activator are better markers for distant recurrences than Nottingham Prognostic Index and histologic grade in a prospective study of premenopausal lymph node-negative breast cancer. *J Clin Oncol*, 19(7), 2010-2019. doi:10.1200/jco.2001.19.7.2010
- Marcillac, I., Troalen, F., Bidart, J.-M., Ghillani, P., Ribrag, V., Escudier, B., . . . Bellet, D. (1992). Free Human Chorionic Gonadotropin β Subunit in Gonadal and Nongonadal Neoplasms. *Cancer Research*, 52(14), 3901. Retrieved from <http://cancerres.aacrjournals.org/content/52/14/3901.abstract>
- Marcinko, T. M., Dong, J., LeBlanc, R., Daborowski, K. V., & Vachet, R. W. (2017). Small molecule-mediated inhibition of β -2-microglobulin-based amyloid fibril formation. *J Biol Chem*, 292(25), 10630-10638. doi:10.1074/jbc.M116.774083
- NANETS. (2017). The North American Neuroendocrine Tumor Society Consensus Guidelines for Surveillance and Medical Management of Midgut Neuroendocrine Tumors. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5642985/>
- NCCN. (2019a). Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/cll.pdf
- NCCN. (2019b). Chronic Myeloid Leukemia. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/cml.pdf
- NCCN. (2019c). Colon Cancer. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/colon.pdf
- NCCN. (2019d). Esophageal and Esophagogastric Junction Cancers. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/esophageal.pdf
- NCCN. (2019e). Gastric Cancer. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/gastric.pdf

NCCN. (2019f). Genetic/Familial High-Risk Assessment: Breast and Ovarian. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/genetics_screening.pdf

NCCN. (2019g). Hepatobiliary Cancers. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/hepatobiliary.pdf

NCCN. (2019h). Malignant Pleural Mesothelioma Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/mpm.pdf

NCCN. (2019i). Merkel Cell Carcinoma. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/mcc.pdf

NCCN. (2019j). Multiple Myeloma. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/myeloma.pdf

NCCN. (2019k). NCCN Clinical Practice Guidelines in Oncology. *NCCN Clinical Practice Guidelines in Oncology*. Retrieved from https://www.nccn.org/professionals/physician_gls/default.aspx

NCCN. (2019l). Ovarian Cancer. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/ovarian.pdf

NCCN. (2019m). Prostate Cancer. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/prostate.pdf

NCCN. (2019n). Rectal Cancer. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/rectal.pdf

NCCN. (2019o). Small Bowel Adenocarcinoma. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/small_bowel.pdf

NCCN. (2019p). Systemic light chain amyloidosis. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/amyloidosis.pdf

NCCN. (2019q). Testicular Cancer. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/testicular.pdf

NCCN. (2019r). Thymomas and Thymic Carcinomas. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/thymic.pdf

NCCN. (2019s). Waldenström's Macroglobulinemia / Lymphoplasmacytic Lymphoma. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/waldenstroms.pdf

NCCN. (2020a). Acute Lymphoblastic Leukemia Version 2.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/all.pdf

NCCN. (2020b). B-Cell Lymphomas, V.4.2020. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/b-cell.pdf

NCCN. (2020c). Bone Cancer Version 1.2021 Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/bone.pdf

NCCN. (2020d). Breast Cancer. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/breast.pdf

NCCN. (2020e). Breast Cancer, V.6.2020. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/breast.pdf

NCCN. (2020f). Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma, V.2.2021.
Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/cll.pdf

NCCN. (2020g). Chronic Myeloid Leukemia, V.2.2021. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/cml.pdf

NCCN. (2020h). Colon Cancer V.4.2020. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/colon.pdf

NCCN. (2020i). Cutaneous Melanoma Version 1.2021. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/cutaneous_melanoma.pdf

NCCN. (2020j). Esophageal and Esophagogastric Junction Cancers, V.4.2020. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/esophageal.pdf

NCCN. (2020k). Esophageal and Esophagogastric Junction Cancers, V.5.2020. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/esophageal.pdf

NCCN. (2020l). Gastric Cancer, V.3.2020. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/gastric.pdf

NCCN. (2020m). Gastric Cancer, V.4.2020. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/gastric.pdf

NCCN. (2020n). Genetic/Familial High-Risk Assessment: Breast, Ovarian, and Pancreatic,
V.2.2021. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/genetics_screening.pdf

NCCN. (2020o). Gestational Trophoblastic Neoplasia, V.3.2020. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/gtn.pdf

NCCN. (2020p). Hairy Cell Leukemia Version 1.2021. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/hairy_cell.pdf

NCCN. (2020q). Hepatobiliary Cancers. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/hepatobiliary.pdf

NCCN. (2020r). Malignant Pleural Mesothelioma, V.1.2021. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/mpm.pdf

NCCN. (2020s). Myeloproliferative Neoplasms Version 1.2020. Retrieved from
https://www.nccn.org/professionals/physician_gls/pdf/mpn.pdf

NCCN. (2020t). NCCN Clinical Practice Guidelines in Oncology. *NCCN Clinical Practice Guidelines in Oncology*. Retrieved from https://www.nccn.org/professionals/physician_gls/default.aspx

NCCN. (2020u). Neuroendocrine and Adrenal Tumors. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/neuroendocrine.pdf

NCCN. (2020v). Neuroendocrine and Adrenal Tumors, V.2.2020. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/neuroendocrine.pdf

NCCN. (2020w). Occult Primary, V.1.2020. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/occult.pdf

NCCN. (2020x). Ovarian Cancer, V.1.2020. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/ovarian.pdf

NCCN. (2020y). Pancreatic Adenocarcinoma, V.1.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/pancreatic.pdf

NCCN. (2020z). Pediatric Acute Lymphoblastic Leukemia Version 2.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/ped_all.pdf

NCCN. (2020aa). Primary Cutaneous Lymphomas Version 1.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/primary_cutaneous.pdf

NCCN. (2020ab). Prostate Cancer, V.3.2020. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/prostate.pdf

NCCN. (2020ac). Rectal Cancer, V.6.2020. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/rectal.pdf

NCCN. (2020ad). Small Bowel Adenocarcinoma. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/small_bowel.pdf

NCCN. (2020ae). Systemic light chain amyloidosis, V.1.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/amyloidosis.pdf

NCCN. (2020af). Testicular Cancer, V.1.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/testicular.pdf

NCCN. (2020ag). Thymomas and Thymic Carcinomas, V.1.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/thymic.pdf

NCCN. (2020ah). Thyroid Carcinoma, V.2.2020. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/thyroid.pdf

NCCN. (2020ai). Uterine Neoplasms, V.1.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/uterine.pdf

NCCN. (2020aj). Waldenström's Macroglobulinemia / Lymphoplasmacytic Lymphoma V.1.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/waldenstroms.pdf

NCCN. (2020). Systemic Mastocytosis Version 1.2020. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/mastocytosis.pdf

NCCN. (2021a). B-Cell Lymphomas V1.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/b-cell.pdf

NCCN. (2021b). Hodgkin's Lymphoma Version 2.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/hodgkins.pdf

NCCN. (2021c). Multiple Myeloma, Version 3.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/myeloma.pdf

NCCN. (2021d). Ovarian Cancer, V.2.2020. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/ovarian.pdf

NCCN. (2021e). Small Cell Lung Cancer Version 2.2021. Retrieved from https://www.nccn.org/professionals/physician_gls/pdf/sclc.pdf

NICE. (2011). Ovarian cancer: recognition and initial management. Retrieved from <https://www.nice.org.uk/guidance/cg122/chapter/1-Guidance>

NICE. (2018). Myeloma: diagnosis and management. Retrieved from <https://www.nice.org.uk/guidance/ng35/chapter/Recommendations>

Park, S. J., Jang, J. Y., Jeong, S. W., Cho, Y. K., Lee, S. H., Kim, S. G., . . . Bang, H. I. (2017). Usefulness of AFP, AFP-L3, and PIVKA-II, and their combinations in diagnosing hepatocellular carcinoma. *Medicine (Baltimore)*, 96(11), e5811. doi:10.1097/md.0000000000005811

Pucino, V., Bombardieri, M., Pitzalis, C., & Mauro, C. (2017). Lactate at the crossroads of metabolism, inflammation, and autoimmunity. *European Journal of Immunology*, 47(1), 14-21. doi:10.1002/eji.201646477

Qin, J., Yang, Q., Ye, H., Wang, K., Zhang, M., Zhu, J., . . . Zhang, J. (2020). Using Serological Proteome Analysis to Identify and Evaluate Anti-GRP78 Autoantibody as Biomarker in the Detection of Gastric Cancer. *J Oncol*, 2020, 9430737. doi:10.1155/2020/9430737

Raby, B. (2020). Personalized medicine. Retrieved from https://www.uptodate.com/contents/personalized-medicine?search=proteomics&source=search_result&selectedTitle=1~61&usage_type=default&display_rank=1

Raby, B. (2021). Personalized medicine. Retrieved from https://www.uptodate.com/contents/personalized-medicine?search=proteomics&source=search_result&selectedTitle=1~61&usage_type=default&display_rank=1

Ryu, T., Takami, Y., Wada, Y., Tateishi, M., Matsushima, H., Mikagi, K., & Saitsu, H. (2017). Double- and Triple-Positive Tumor Markers Predict Early Recurrence and Poor Survival in Patients with Hepatocellular Carcinoma within the Milan Criteria and Child-Pugh Class A. *J Gastrointest Surg*, 21(6), 957-966. doi:10.1007/s11605-017-3394-1

- Saito, Y., Shimada, M., Utsunomiya, T., Morine, Y., Imura, S., Ikemoto, T., . . . Asanoma, M. (2012). Prediction of recurrence of hepatocellular carcinoma after curative hepatectomy using preoperative Lens culinaris agglutinin-reactive fraction of alpha-fetoprotein. *Hepatol Res*, 42(9), 887-894. doi:10.1111/j.1872-034X.2012.01004.x
- Santos Schraiber, L. d., de Mattos, A. A., Zanotelli, M. L., Cantisani, G. P., Brandao, A. B., Marroni, C. A., . . . Santos Marcon, P. d. (2016). Alpha-fetoprotein Level Predicts Recurrence After Transplantation in Hepatocellular Carcinoma. *Medicine (Baltimore)*, 95(3), e2478. doi:10.1097/md.0000000000002478
- Schefer, H., Mattmann, S., & Joss, R. A. (1998). Hereditary persistence of α -fetoprotein Case report and review of the literature. *Annals of Oncology*, 9(6), 667-672. doi:10.1023/A:1008243311122
- Seo, S., Hong, J. Y., Yoon, S., Yoo, C., Park, J. H., Lee, J. B., . . . Suh, C. (2016). Prognostic significance of serum beta-2 microglobulin in patients with diffuse large B-cell lymphoma in the rituximab era. *Oncotarget*, 7(47), 76934-76943. doi:10.18632/oncotarget.12734
- Sepulveda, A. R., Hamilton, S. R., Allegra, C. J., Grody, W., Cushman-Vokoun, A. M., Funkhouser, W. K., . . . Nowak, J. A. (2017). Molecular Biomarkers for the Evaluation of Colorectal Cancer: Guideline From the American Society for Clinical Pathology, College of American Pathologists, Association for Molecular Pathology, and the American Society of Clinical Oncology. *Journal of Clinical Oncology*, 35(13), 1453-1486. doi:10.1200/JCO.2016.71.9807
- Song, B. C., Suh, D. J., Yang, S. H., Lee, H. C., Chung, Y. H., Sung, K. B., & Lee, Y. S. (2002). Lens culinaris agglutinin-reactive alpha-fetoprotein as a prognostic marker in patients with hepatocellular carcinoma undergoing transcatheter arterial chemoembolization. *J Clin Gastroenterol*, 35(5), 398-402. Retrieved from <http://dx.doi.org/>
- Stephens, R. W., Brunner, N., Janicke, F., & Schmitt, M. (1998). The urokinase plasminogen activator system as a target for prognostic studies in breast cancer. *Breast Cancer Res Treat*, 52(1-3), 99-111. Retrieved from <http://dx.doi.org/>
- Stoffel, E. M., McKernin, S. E., Brand, R., Canto, M., Goggins, M., Moravek, C., . . . Khorana, A. A. (2018). Evaluating Susceptibility to Pancreatic Cancer: ASCO Provisional Clinical Opinion. *Journal of Clinical Oncology*, 37(2), 153-164. doi:10.1200/JCO.18.01489
- Strosberg, J. (2017). Retrieved from https://www.uptodate.com/contents/diagnosis-of-the-carcinoid-syndrome-and-tumor-localization?search=chromogranin%20A&source=search_result&selectedTitle=1~40&usage_type=default&display_rank=1
- Strosberg, J. (2019). Diagnosis of carcinoid syndrome and tumor localization. Retrieved from https://www.uptodate.com/contents/diagnosis-of-the-carcinoid-syndrome-and-tumor-localization?search=chromogranin%20A&source=search_result&selectedTitle=1~40&usage_type=default&display_rank=1
- Sturgeon, C. M., Duffy, M. J., Hofmann, B. R., Lamerz, R., Fritsche, H. A., Gaarenstroom, K., . . . Diamandis, E. P. (2010). National Academy of Clinical Biochemistry Laboratory Medicine Practice

Guidelines for use of tumor markers in liver, bladder, cervical, and gastric cancers. *Clin Chem*, 56(6), e1-48. doi:10.1373/clinchem.2009.133124

Sturgeon, C. M., Duffy, M. J., Stenman, U. H., Lilja, H., Brunner, N., Chan, D. W., . . . Diamandis, E. P. (2008). National Academy of Clinical Biochemistry laboratory medicine practice guidelines for use of tumor markers in testicular, prostate, colorectal, breast, and ovarian cancers. *Clin Chem*, 54(12), e11-79. doi:10.1373/clinchem.2008.105601

Sturgeon, C. M., Hoffman, B. R., Chan, D. W., Ch, ng, S.-L., Hammond, E., . . . Diamandis, E. P. (2008). National Academy of Clinical Biochemistry Laboratory Medicine Practice Guidelines for Use of Tumor Markers in Clinical Practice: Quality Requirements. *Clinical Chemistry*, 54(8), e1. doi:10.1373/clinchem.2007.094144

Theodoros, F., & Bergh, J. (2019). Prognostic and predictive factors in early, nonmetastatic breast cancer - UpToDate. In D. Hayes (Ed.), *UpToDate*. Retrieved from <https://www.uptodate.com/contents/prognostic-and-predictive-factors-in-early-non-metastatic-breast-cancer>

Tian, T., Gao, J., Li, N., Li, Y., Lu, M., Li, Z., . . . Shen, L. (2016). Circulating Chromogranin A as A Marker for Monitoring Clinical Response in Advanced Gastroenteropancreatic Neuroendocrine Tumors. *PLoS One*, 11(5), e0154679. doi:10.1371/journal.pone.0154679

Tormey, W. P., Byrne, B., Hill, A. D., Sherlock, M., & Thompson, C. J. (2017). Should serum calcitonin be routinely measured in patients presenting with thyroid nodule? *Minerva Endocrinol*, 42(4), 306-310. doi:10.23736/s0391-1977.17.02566-4

Tuttle, M. (2018). Medullary thyroid cancer: Clinical manifestations, diagnosis, and staging. Retrieved from https://www.uptodate.com/contents/medullary-thyroid-cancer-clinical-manifestations-diagnosis-and-staging?search=calcitonin%20medullary%20thyroid%20carcinoma&source=search_result&selectedTitle=1~150&usage_type=default&display_rank=1

Tuttle, R. M. (2020). Medullary thyroid cancer: Clinical manifestations, diagnosis, and staging. Retrieved from https://www.uptodate.com/contents/medullary-thyroid-cancer-clinical-manifestations-diagnosis-and-staging?search=calcitonin%20medullary%20thyroid%20carcinoma&source=search_result&selectedTitle=1~150&usage_type=default&display_rank=1

Ueland, F. (2017). Serum biomarkers for evaluation of an adnexal mass for epithelial carcinoma of the ovary, fallopian tube, or peritoneum. Retrieved from https://www.uptodate.com/contents/serum-biomarkers-for-evaluation-of-an-adnexal-mass-for-epithelial-carcinoma-of-the-ovary-fallopian-tube-or-peritoneum?search=Carcinoembryonic%20antigen&source=search_result&selectedTitle=1~101&usage_type=default&display_rank=1

Ueland, F. R., Li, Andrew John. (2020). Serum biomarkers for evaluation of an adnexal mass for epithelial carcinoma of the ovary, fallopian tube, or peritoneum. Retrieved from https://www.uptodate.com/contents/serum-biomarkers-for-evaluation-of-an-adnexal-mass-for-epithelial-carcinoma-of-the-ovary-fallopian-tube-or-peritoneum?search=Carcinoembryonic%20antigen&source=search_result&selectedTitle=1~101&usage_type=default&display_rank=1

Van Poznak, C., Somerfield, M. R., Bast, R. C., Cristofanilli, M., Goetz, M. P., Gonzalez-Angulo, A. M., . . . Harris, L. N. (2015). Use of Biomarkers to Guide Decisions on Systemic Therapy for Women With Metastatic Breast Cancer: American Society of Clinical Oncology Clinical Practice Guideline. *J Clin Oncol*, 33(24), 2695-2704. doi:10.1200/jco.2015.61.1459

Walentowicz, P., Krintus, M., Sadlecki, P., Grabiec, M., Mankowska-Cyl, A., Sokup, A., & Walentowicz-Sadlecka, M. (2014). Serum inhibin A and inhibin B levels in epithelial ovarian cancer patients. *PLoS One*, 9(3), e90575. doi:10.1371/journal.pone.0090575

Wells, S. A., Jr., Asa, S. L., Dralle, H., Elisei, R., Evans, D. B., Gagel, R. F., . . . Waguespack, S. G. (2015). Revised American Thyroid Association guidelines for the management of medullary thyroid carcinoma. *Thyroid*, 25(6), 567-610. doi:10.1089/thy.2014.0335

Wu, M., Liu, H., Liu, Z., Liu, C., Zhang, A., & Li, N. (2018). Analysis of serum alpha-fetoprotein (AFP) and AFP-L3 levels by protein microarray. *J Int Med Res*, 46(10), 4297-4305. doi:10.1177/0300060518789304

Yamao, T., Yamashita, Y. I., Imai, K., Umezaki, N., Tsukamoto, M., Kitano, Y., . . . Baba, H. (2019). Clinical Significance of Preoperative Hepatocellular Carcinoma With High Lens culinaris Agglutinin-reactive Fraction of Alpha-Fetoprotein, But Low Alpha-Fetoprotein. *Anticancer Res*, 39(2), 883-889. doi:10.21873/anticancer.13189

Yang, X., Yang, Y., Li, Z., Cheng, C., Yang, T., Wang, C., . . . Liu, S. (2015). Diagnostic value of circulating chromogranin a for neuroendocrine tumors: a systematic review and meta-analysis. *PLoS One*, 10(4), e0124884. doi:10.1371/journal.pone.0124884

Yi, X., Yu, S., & Bao, Y. (2013). Alpha-fetoprotein-L3 in hepatocellular carcinoma: a meta-analysis. *Clin Chim Acta*, 425, 212-220. doi:10.1016/j.cca.2013.08.005

Zhang, X. F., Lai, E. C., Kang, X. Y., Qian, H. H., Zhou, Y. M., Shi, L. H., . . . Yin, Z. F. (2011). Lens culinaris agglutinin-reactive fraction of alpha-fetoprotein as a marker of prognosis and a monitor of recurrence of hepatocellular carcinoma after curative liver resection. *Ann Surg Oncol*, 18(8), 2218-2223. doi:10.1245/s10434-011-1613-7

Policy Update History:

5/1/2022	New policy
----------	------------